

黃啓賢
明志科大 材料系 教授
著作目錄

期刊論文

1. Sathishkumar Chinnapaiyan, Himadri Tanaya Das, Shen-Ming Chen*, Mani Govindasamy*, Razan A. Alshgari, Chi-Hsuan Fan, Chi-Hsien Huang* (2023, Jan). CoAl₂O₄ nanoparticles modified carbon nanofibers as high-efficiency bifunctional electrocatalyst: An efficient electrochemical aqueous asymmetric supercapacitors and non-enzymatic electrochemical sensors. *Journal of Alloys and Compounds*, 931, 167553. 本人為通訊作者.
2. Mani Govindasamy, Chen-Rong Jian, Chang-Fu Kuo, Ao-Ho Hsieh, Jao-Liang Sie, Chi-Hsien Huang* (2022, Sep). A chemiresistive biosensor for detection of cancer biomarker in biological fluids using CVD-grown bilayer graphene. *Microchimica Acta*, 189, 374. MOST 110-2221-E-131-011. 本人為通訊作者.
3. Chi-Hsien Huang, Yu-Jen Lu, Yong-Chen Pan, Hui-Ling Liu, Jia-Yuan Chang, Jhao-Liang Sie, Dorota G. Pijanowska* and Chia-Ming Yang* (2022, Jun). Nanohollow Titanium Oxide Structures on Ti/FTO Glass Formed by Step-Bias Anodic Oxidation for Photoelectrochemical Enhancement. *Nanomaterials*, 12, 1925. MOST 110-2221-E-131-011. 本人為第一作者.
4. Mani Govindasamy, Sea-Fue Wang*, Chi-Hsien Huang*, Razan A. Alshgari*, Mohamed Ouladsmane4 (2022, May). Colloidal synthesis of perovskite-type lanthanum aluminate incorporated graphene oxide composites: Electrochemical detection of nitrite in meat extract and drinking water. *Microchimica Acta*, 189, 210. MOST 110-2221-E-131-011. 本人為通訊作者.
5. Ssu-Hsien Yeh, Min-Shin Huang, Chi-Hsien Huang* (2021, Dec). Electrochemical sensors for sulfamethoxazole detection based on graphene oxide/graphene layered composite on indium tin oxide substrate. *Journal of the Taiwan Institute of Chemical Engineers*, 131, 104155. MOST 110-2221-E-131-011. 本人為通訊作者.
6. Chi-Hsien Huang*, Wei-Ting Huang, Tzu-Ting Huang, Sian-Hong Ciou, Chang-Fu Kuo, Ao-Ho Hsieh, Yu-Sheng Hsiao, Yao-Jen Lee (2021, Sep). Dual-Gate Enhancement of the Sensitivity of miRNA Detection of a Solution-Gated Field-Effect Transistor Featuring a Graphene Oxide/Graphene

- Layered Structure. *ACS Applied Electronic Materials*, 3, 4300-4307. MOST 110-2221-E-131-011. 本人為第一作者、通訊作者. Supplementary Cover.
7. Chi-Hsien Huang*, Hong-Cing Wu, Bo-Feng Chen and Yen-Cheng Li (2021, May). Graphene/Silver Nanowires/Graphene Sandwich Composite for Stretchable Transparent Electrodes and Its Fracture Mechanism. *Micromachines*, 12, 512. MOST 107-2221-E-131-006-MY3. 本人為第一作者、通訊作者.
 8. Ming-Hsiu Tsai, Chun-Hsuan Lin, Wei-Tong Chen, Chi-Hsien Huang*, Wei-Yen Woon* and Chih-Ting Lin* (2020, Dec). Temperature Effect of Low-Damage Plasma for Nitrogen-Modification of Graphene. *ECS Journal of Solid State Science and Technology*, 9, 121007. 本人為通訊作者.
 9. Qiang Cao, Yushi Xiao, Na Liu, Rong Huang, Chen Ye, Chi-Hsien Huang, Huan Liu, Gang Han, Lidong Wu (2020, Nov). Synthesis of Yolk/Shell heterostructures MOF@MOF as biomimetic sensing platform for catechol detection. *Sensors and Actuators B: Chemical*, 329, 129133.
 10. Yingying Sheng, junjie Yang, Xueyang Zhao, Hui Liu, Shaogang Cui, Lianxi CHen, Rong Zeng, Xiaojian Wang, Chi-Hsien Huang, Wei Li (2020, Nov). Development and In-Vitro Biodegradation of Biomimetic Zwitterionic Phosphorylcholine Chitosan Coating on Zn1Mg Alloy. *ACS Applied Materials & Interfaces*, 12, 54445-54458.
 11. Qiang Cao, Yushi Xiao, Rong Huang, Na Liu, Hai Chi, CHeng-Te Lin, Chi-Hsien Huang, Gang Han, Lidong Wu (2020, Oct). Thiolated poly(aspartic acid)-functionalized two-dimensional MoS₂, chitosan and bismuth film as a sensor platform for cadmium ion detection. *RSC Advances*, 10, 37989-37994.
 12. Wen-Ya Lee, Cheng Liang, Jian-Hong Ye, Chi-Hsien Huang, Chien-Kuo Hsieh (2020, Jun). Facile synthesis of multi-layer graphene-like graphitic structure using commercial candle as the solid-state carbon source for electrochemical supercapacitors. *Surface & Coatings Technology*, 398, 126075.
 13. Chi-Hsien Huang*, Tzu-Ting Huang , Chia-Heng Chiang , Wei-Ting Huang , Yi-Ting Lin (2020, May). A chemiresistive biosensor based on a layered graphene oxide/graphene composite for the sensitive and selective detection of circulating miRNA-21. *Biosensors and Bioelectronics*, 164, 112320. MOST 107-2221-E-131-006-MY3. 本人為第一作者、通訊作者.
 14. Yinying Sheng, Tzu-Ting Huang, Yi-Ting Lin, Tai-Ze Wu, Wei Li, Chi-Hsien Huang* (2020, May). Layered graphene composite for flexible bioelectrical sensor applications. *Surface & Coatings Technology*, 397, 125973. 本人為通訊作者.
 15. Kai-Hsiang Luo, Chao-Kuang Cheng, Jeng-Yu Lin, Chi-Hsien Huang, Tsung-Kuang Yeh, Chien-Kuo Hsieh (2020, Apr). Highly-porous hierarchically

microstructure of graphene-decorated nickel foam supported two-dimensional quadrilateral shapes of cobalt sulfide nanosheets as efficient electrode for methanol oxidation. *Surface & Coatings Technology*, 393, 125850.

16. Shih-Chieh Yen, Zhao-Wei Liu, Ruey-Shin Juang, Sravani Sahoo, Chi-Hsien Huang, Peilin Chen, Yu-Sheng Hsiao, and Ji-Tseng Fang (2019, Oct). Carbon Nanotube/Conducting Polymer Hybrid Nanofibers as Novel Organic Bioelectronic Interfaces for Efficient Removal of Protein-Bound Uremic Toxins. *ACS Applied Materials & Interfaces*, 11, 43843-43856.
17. Hao-Cheng Wang, Yu-Che Lin, Chung-Hao Chen, Chi-Hsien Huang, Bin Chang, Yi-Ling Liu, Hao-Wen Cheng, Cheng-Si Tsao, and Kung-Hwa Wei (2019, Sep). Hydrogen Plasma-Treated MoSe₂ Nanosheets Enhance the Efficiency and Stability of Organic Photovoltaics. *Nanoscale*, 11, 17460-17470.
18. Chun-Hsuan Lin, Wei-Tong Chen, Chi-Hsien Huang*, Wei-Yen Woon*, Chih-Ting Lin* (2019, Aug). Effects of π -electron in humidity sensing of artificially stacked graphene bilayers modified with carboxyl and hydroxyl groups. *Sensors and Actuators B: Chemical*, 301, 127020. MOST 107-2221-E-131-006-MY3. 本人為通訊作者.
19. Chi-Hsien Huang*, Zih-Yang Chen, Chi-Ling Chiu, Tzu-Ting Huang, Hsin-Fei Meng, Peichen Yu* (2019, Jul). Surface Micro-/Nanotextured Hybrid PEDOT:PSS-Silicon Photovoltaic Cells Employing Kirigami Graphene. *ACS Applied Materials & Interfaces*, 11, 29901-29909. MOST 107-2221-E-131-006-MY3. 本人為第一作者、通訊作者.
20. Chun-Hsuan Lin, Ming-Shiu Tsai, Wei-Tong Chen, Yi-Zhe Hong, Po-Yu Chien, Chi-Hsien Huang*, Wei-Yen Woon* and Chih-Ting Lin* (2019, Apr). A low-damage plasma surface modification method of stacked graphene bilayers for configurable wettability and electrical properties. *Nanotechnology*, 30, 245709. MOST 106-2221-E-131-009. 本人為通訊作者.
21. Chi-Hsien Huang*, Tsung-Han Lu (2018, Feb). Rapid oxidation of CVD-grown graphene using mild atmospheric pressure O₂ plasma jet. *Surface & Coatings Technology*, 350, 1085-1090. MOST 106-2221-E-131-009. 本人為第一作者、通訊作者.
22. Jen-Kuang Lee, I-Shun Wang, Chi-Hsien Huang, Yih-Fan Chen, Nien-Tsu Huang, Chih-Ting Lin (2017, Dec). Pre-Clinical Tests of an Integrated CMOS Biomolecular Sensor for Cardiac Diseases Diagnosis. *Sensors*, 17, 2733.
23. Jun-Ru Zeng, Chih-Chia Cheng, Bohr-Ran Huang, Chi-Hsien Huang*, Jem-Kun Chen* (2017, May). Pillar arrays of tethered polyvinyltetrazole on silicon as a visualization platform for sensing of lead ions. *Sensors and Actuators B: Chemical*, 243, 234-243. 本人為通訊作者.

24. Jun-Ru Zeng, Chih-Chia Cheng, Chi-Jung Chang, Chi-Hsien Huang*, Jem-Kun Chen* (2017, Apr). Fabrication of two-dimensional photonic crystals of tethered polyvinyltetrazole on silicon surfaces for visualization in Cu²⁺ ion sensing. *Dyes and Pigments*, 139, 300-309. 本人為通訊作者.
25. Chi-Hsien Huang*, Yin-Yin Wang, Tsung-Han Lu and Yen-Cheng Li (2017, Jan). Flexible Transparent Electrode of Hybrid Ag-Nanowire/Reduced-Graphene-Oxide Thin Film on PET Substrate Prepared Using H₂/Ar Low-Damage Plasma. *Polymers*, 9(1), 28. MOST 105-2221-E-131-008. 本人為第一作者、通訊作者.
26. Da-Han Kuan, I-Shun Wang, Jiun-Rue Lin, Chao-Han Yang, Chi-Hsien Huang, Yen-Hung Lin, Chih-Ting Linc and Nien-Tsu Huang (2016, Sep). A microfluidic device integrating dual CMOS polysilicon nanowire sensors for on-chip whole blood processing and simultaneous detection of multiple analytes. *Lab on a Chip*, 16(16), 3105-3113.
27. Si-Ying Wu, Shuenn-Kung Su, Chi-Jung Chang, Chi-Hsien Huang*, Jem-Kun Chen* (2016, Aug). Sol-gel-synthesized titania-vanadia nanocrystal films for triple-functional window coatings. *Ceramics International*, 42, 17610-17619. 本人為通訊作者.
28. Da-Han Kuan, I-Shun Wang, Jiun-Rue Lin, Chao-Han Yang, Chi-Hsien Huang, Yen-Hung Lin, Chih-Ting Lin and Nien-Tsu Huang (2016, Jun). A microfluidic device integrating dual CMOS polysilicon nanowire sensors for on-chip whole blood processing and simultaneous detection of multiple analytes. *Lab on a Chip*, 16, 3105-3113.
29. Chi-Hsien Huang*, Shu-Chen Yu, Yi-Chun Lai, Gou-Chung Chi, and Peichen Yu* (2016, Mar). Efficiency enhancement of organic/GaAs hybrid photovoltaic cells using transparent graphene as front electrode. *IEEE Journal of Photovoltaics*, 6(2), 480-485. 本人為第一作者、通訊作者.
30. Hsiang-En Cheng, Yin-Yin Wang, Po-Chen Wu, Chi-Hsien Huang* (2016, Mar). Preparation of large-area graphene oxide sheets with a high density of carboxyl groups using O₂/H₂ low-damage plasma. *Surface & Coatings Technology*, 303, 170-175. MOST 104-2221-E-131-015. 本人為通訊作者.
31. Pei-Yin Zhou, Chih-Chia Cheng, Chi-Hsien Huang and Jem-Kun Chen (2016, Feb). Hexagonal pillar structure of heteroepitaxial titania-vanadia nanocrystal films for high performance in thermochromic and photocatalytic properties. *Physial Chemistry Chemical Physics*, 18(13), 9088-9101.
32. Jun-He Chang, Yu-Han Hung, Xu-Feng Luo, Chi-Hsien Huang, Sungmi Jung, Jeng-Kuei Chang, Jing Kong, and Ching-Yuan Su (2016, Jan). The hierarchical porosity of a three-dimensional graphene electrode for binder-free and high

- performance supercapacitors. *RSC Advances*, 6, 8384-8394.
33. Yu-Min Chen, Shih-Ming He, CHi-Hsien Huang, Cheng-Chun Huang, Wen-Pin Shih, Chun-Lin Chu, Jing Kong, Ju li and Ching-Yuan Su (2016, Jan). Ultra-large suspended graphene as a highly elastic membrane for capacitive pressure sensors. *Nanoscale*, 8, 3555-3564.
 34. Shi-Di Lan, Chih-Chia Cheng, Chi-Hsien Huang, Jem-Kun Chen (2015, Dec). Synthesis of sub-10 nm VO₂ nanoparticles films with plasma-treated glass slides by aqueous sol–gel method . *Applied Surface Science*, 357(B), 2069-2076.
 35. Chang Ren, Chia-Ming Yang, Chengang Lyu, Chin-Yuan Hsu, Tsung-Cheng, Hau-Cheng Wang, Hao Yang, Wei-Tse Lin, Pi-Chun Juan, Chi-Hsien Huang, Dorota G. Pijanowska, Jer-Chyi Wang, and Jung-Ruey Tsai (2015, Mar). Nitrogen ratio and RTA optimization on sputtered TiN/SiO₂/Si electrolyte-insulator-semiconductor structure for pH sensing characteristic. *Vacuum*, 118, 113-117.
 36. Gang-Yan Zhou, Ai-Wei Lee, Jia-Yaw Chang, Chi-Hsien Huang* and Jem-Kun Chen* (2014, Sep). Fabrication of metamaterial absorber using polymer brush-gold nanoassemblies for visualizing the reversible pH-responsiveness. *Journal of Materials Chemistry C*, 2, 8226-8234. 本人為通訊作者.
 37. Chi-Hsien Huang*, Ching-Yuan Su, Yen-Cheng Li, Chao-Sung Lai, Seiji Samukawa (2014, Jul). Ultra-Low Damage Radical Treatment for Highly Controllable Oxidation of Large-Scale Graphene Sheets. *CARBON*, 73, 244-251. MOST 102-2218-E-131-003. 本人為第一作者、通訊作者.
 38. Kuan-I Ho, Chi-Hsien Huang, Jia-Hong Liao, Wenjing Zhang, Lai-Jong Li, Chao-Sung Lai,, Ching-Yuan Su (2014, Jul). Fluorinated Graphene as High Performance Dielectric Materials and the Applications for Graphene Nanoelectronics. *Scientific Reports*, 4, 5894.
 39. Kuan-I Ho, Jia-Hong Liao, Chi-Hsien Huang, Chang-Lung Hsu, Wenjing Zhang, Ang-Yu Lu, Lain-Jong Li, Chao-Sung Lai and Ching-Yuan Su (2014, Mar). One-Step Formation of a Single Atomic-Layer Transistor by the Selective Fluorination of a Graphene Film. *Small*, 10, 988-997.
 40. Chi-Hsien Huang, I-Shun Wang, Kuan-I Ho, and Chao-Sung Lai (2013, Jun). High Polarization and Low-Repulsion HfO₂ Thin Film for Alkali Metal Ion Detections by Plasma System With a Complementary Filter. *IEEE Sensors Journal*, 13(6), 2459-65. 本人為第一作者、通訊作者.
 41. Chi-Hsien Huang, Ching-Yuan Su, Takeru Okada, Lain-Jong Li, Kuan-I Ho, Pei-Wen Li, Chien Chou, Seiji Samukawa, and Chao-Sung Lai (2013, May). Ultra-low-edge-defect graphene nanoribbons patterned by neutral beam. *Carbon*, 61, 229-35. 本人為第一作者.

42. Chi-Hsien Huang, Chih-Ting Lin, Jer-Chyi Wang, Chien Chou, Yu-Ren Yeh, Bing-Ming Cheng, and Chao-Sung Lai (2012, Oct). Tunable bandgap energy of fluorinated nanocrystals for flash memory applications produced by low-damage plasma treatment . *Nanotechnology*, 23(47), 475201. 本人為第一作者.
43. I-Shun Wang, Tseng-Fu Lu, Cheng-En Lue, Chi-Hsien Huang, Polung Yang, Yi-Ting Lin, Dorota G. Pijanswska, Chia-Ming Yang, Jer-Chyi Wang, Jau-Song Yu, Yu-Sun Chang and Chao-Sung Lai (2012, Mar). Immobilization of enzyme and antibody on LD-HfO₂-EIS structure by NH₃ plasma treatment. *Nanoscale Research Letters*, 7, 179.
44. Takayuki Kiba, Yoshiya Mizushima, Makoto Igarashi, Chi-Hsien Huang, Seiji Samukawa, and Akihiro Murayama (2012, Feb). Picosecond transient photoluminescence in high-density Si-nanodisk arrays fabricated using bio-nano-templates. *Applied Physics Letters*, 100(5), 053117.
45. Xuan-Yu Wang, Chi-Hsien Huang, Rikako Tsukamoto, Pierre-Andre Mortemousque, Kohei M. Itoh, Yuzo Ohno, and Seiji Samukawa (2011, Aug). Damage-free Top-down Process for Fabricating Two-dimensional Array of 7nm GaAs Nanodiscs Using Bio-template and Neutral Beam Etching. *Nanotechnology*, 22(36), 365301.
46. Akira Wada, Kzauhiko Endo, Meishoku Masahara, Chi-Hsien Huang, Seiji Samukawa (2011, May). Low activation energy, high-quality oxidation of Si and Ge using neutral beam. *Applied Physics Letters*, 98(20), 203111. (SCI).
47. Chi-Hsien Huang, Xuan-Yu Wang, Makoto Igarashi, Akihiro Murayama, Yoshitaka Okada, Seiji Samukawa (2011, Feb). Optical absorption characteristic of highly ordered and dense two-dimensional array of silicon nanodiscs. *Nanotechnology*, 22(10), 105301. (SCI). 本人為第一作者.
48. Makoto Igarashi, Rikako Tsukamoto, Chi-Hsien Huang, Ichiro Yamashita, Seiji Samukawa (2010, Dec). Direct Fabrication of Uniform and High Density Sub-10nm Etching Mask Using Ferritin Molecules on Si and GaAs Surface for Actual Quantum-Dot Superlattice. *Applied Physics Express*, 4(1), 015202. (SCI).
49. Xuan-Yu Wang, Chi-Hsien Huang, Yuzo Ohno, Makoto Igarashi, Akihiro Murayama, Seiji Samukawa (2010, Oct). Defect-free etching process for GaAs/AlGaAs hetero-nanostructure using chlorine/argon mixed neutral beam. *Journal of Vacuum Science & Technology B*, 28(6), 1138-42. (SCI).
50. Akira Wada, Kzauhiko Endo, Meishoku Masahara, Chi-Hsien Huang, Seiji Samukawa (2010, Sep). Fabrication of Four-Terminal Fin Field-Effect Transistor with Asymmetric Gate-Oxide Thickness Using an Anisotropic Oxidation Process with a Neutral Beam. *Applied Physics Express*, 3(9), 096502. (SCI).
51. Makoto Igarashi, Chi-Hsien Huang, Takashi Morie, Seiji Samukawa (2010, Jul).

- Control of Electron Transport in Two-Dimensional Array of Si Nanodisks for Spiking Neutron Device. *Applied Physics Express*, 3(8), 085202. (SCI).
52. Chi-Hsien Huang, Makoto Igarashi, Susumu Horita, Ichiro Yamashita, Seiji Samukawa (2010, Apr). Novel Si Nanodisk Fabricated by Biotemplate and Defect-Free Neutral Beam Etching for Solar Cell Application. *Japanese Journal of Applied Physics*, 49(4), 04DL16. (SCI). 本人為第一作者.
53. Maju Tomura, Chi-Hsien Huang, Yusuke Yoshida, Takahito Ono, Seiji Samukawa (2010, Apr). Plasma-Induced Deterioration of Mechanical Characteristics of Microcantilever. *Japanese Journal of Applied Physics*, 49(4), 04DL20. (SCI).
54. Chi-Hsien Huang, Makoto Igarashi, Michel Wone, Ichiro Yamashita, Seiji Samukawa (2009, Apr). Two-Dimensional Si-Nanodisk Array Fabricated Using Bio-Nano-Process and Neutral Beam Etching for Realistic Quantum Effect Devices. *Japanese Journal of Applied Physics*, 48(4), 04C187. (SCI). 本人為第一作者.
55. Chi-Hsien Huang, Tomohiro Kubota, Makoto Igarashi, Ichiro Yamashita, Seiji Samukawa (2008, Aug). Novel stacked-nanodisk with quantum effect fabricated by defect-free chlorine neutral beam etching. *Applied Physics Express*, 1(8), 084002. (SCI).
56. Seiji Samukawa, Tomohiro Kubota, Chi-Hsien Huang, Takeshi Hashimoto, Makoto Igarashi, Kensuke Nishioka, Masaki Takeguchi, Yukiharu Uraoka, Takashi Fuyuki, and Ichiro Yamashita (2008, Jun). A New Silicon Quantum-Well Structure with Controlled Diameter and Thickness Fabricated with Ferritin Iron Core Mask and Chlorine Neutral Beam Etching. *Applied Physics Express*, 1(7), 074002.
57. Chi-Hsien Huang, Jiann-Shing Wu, Chun-Chin Huang (2004, Oct). Predicting the permeability and tensile behavior of high density polyethylene/tie/polyamide 6 three-layer films. *Polymer International*, 53(12), 2099-106. (SCI). 本人為第一作者.
58. Chi-Hsien Huang, Jiann-Shing Wu, Chun-Chin Huang (2004, May). Predicting the Permeability and Tensile Properties of Multilayer Films from the Properties of the Individual Component Layers. *Polymer Journal*, 36(5), 386-93. (SCI). 本人為第一作者.
59. Chi-Hsien Huang, Jiann-Shing Wu, Chun-Chin Huang, Li-Shin Lin (2003, Oct). Morphological, Thermal, Barrier and Mechanical Properties of LDPE/EVOH Blends in Extruded Blown Films. *Journal of Polymer Research*, 11(1), 75-83. (SCI). 本人為第一作者.
60. Chi-Hsien Huang, Jiann-Shing Wu, Chun-Chin Huang, Li-Shin Lin (2003, Oct).

Adhesion, Permeability, and Mechanical Properties of Multilayered Blown Films
Usng Maleated Low-Density Polyethylene Blends as Adhesion-Promoting
Layers. *Polymer Journal*, 35(12), 978-84. (SCI). 本人為第一作者.